	Application No.	Applicant(s)
Al - 1' All 1 1114	10/750,171	KIDD ET AL
Notice of Allowability	Examiner	Art Unit
	Le H. Luu	2141
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED in this i) or other appropriate communica RIGHTS. This application is subje	application. If not included tion will be mailed in due course. THIS
1. X This communication is responsive to papers filed on 12/3	<u> 1/03 - 08/02/04</u> .	
2. ☑ The allowed claim(s) is/are <u>1-33</u> .		
3. $igotimes$ The drawings filed on <u>31 December 2003</u> are accepted by	y the Examiner.	
 4. ☐ Acknowledgment is made of a claim for foreign priority u a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 		
2. Certified copies of the priority documents have		o
3. Copies of the certified copies of the priority de	·	
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		ply complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subr INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") mu	ust be submitted.	
(a) including changes required by the Notice of Draftsper	rson's Patent Drawing Review (P	TO-948) attached
1) hereto or 2) to Paper No./Mail Date	_ ·	
(b) including changes required by the attached Examiner Paper No./Mail Date	r's Amendment / Comment or in th	ne Office action of
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in		
 DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT 	osit of BIOLOGICAL MATERIA FOR THE DEPOSIT OF BIOLOG	AL must be submitted. Note the GICAL MATERIAL.
	•	
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Inform	al Patent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		ary (PTO-413),
 Information Disclosure Statements (PTO-1449 or PTO/SB/ Paper No./Mail Date 		
4. Examiner's Comment Regarding Requirement for Deposit		ement of Reason's for Allowance
of Biological Material	9.	molren
		LEHIENLUU

PRIMARY EXAMINER

- 1. An Examiner's Amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 C.F.R. § 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the Issue Fee.
- 2. Pursuant to MPEP 606.01, the title has been changed to read:
 - -- A SYSTEM USING STATE CHANGE REQUESTS RECEIVED OVER A
 NETWORK TO CHANGE CURRENT STATE OF A NETWORK DEVICE
 TO A DESIRED STATE AT A PARTICULAR TIME --
- 3. The following is an Examiner's Statement of Reasons for Allowance:

McCormack et al., Pub. No. 2003/0172138, teach a system and method for managing electronic devices include permanently maintaining at a central location a plurality of characterizations for each of the electronic devices. Each characterization reflects the previous, current, or future state of a corresponding electronic device. Each characterization is also linked to each other characterization. As a result, a change to one characterization triggers a change to each other characterization. A characterization can change when a corresponding electronic device changes. If a characterization is modified for other reasons, the change is reflected in subsequent changes to a corresponding electronic device. In addition, Hogan, Pub. No. 2003/0131077 teaches a method for validating network configuration change commands in a storage area network includes providing a change command to a

Art Unit: 2141

network management device residing in the network, where the change command expresses a change to the configuration of the network and implicitly indicates an initial configuration state of the network therein; determining a current configuration state for the network; and comparing the initial configuration state indicated by the change command to the current configuration state of the network. The change command is implemented by the network management device when the initial configuration state indicated by the change command correlates to the current configuration state of the network. However, they fail to teach or suggest individually or in combination that a system comprising: receiving a serialized stream of state change requests over a network for a network device, said network device having a current state object representing a current state of the network device; modifying a desired state object with each of the state change requests in the serialized stream, said desired state object representing a desired state for the network device; reading an instance of the desired state object at a particular instant in time; comparing the instance of the desired state object to the current state object; and determining a set of tasks to change the current state of the network device to the desired state based on the comparison as set forth in claims 1-33.

4. Examiner interprets the limitation "machine readable medium" as a device that stores computer instructions and participates in providing the computer instructions to a computer processor for execution. The machine readable medium includes non-volatile media, volatile media, computer storage devices and memories. For example, optical

Art Unit: 2141

or magnetic disks, ROMs, PROMs, EPROMs, EEPROMs, RAM, hard disks, CDs, DVDs. The "machine readable medium" does not include acoustic or electromagnetic waves, such as those generated during radio-wave, infra-red, and optical data communications.

- 5. Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."
- 6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Le H. Luu whose telephone number is 571-272-3884. The examiner can normally be reached on 7:00am 4:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Rupal Dharia can be reached on 571-272-3880. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Application/Control Number: 10/750,171

Art Unit: 2141

Business Center (EBC) at 866-217-9197 (toll-free).

Page 5

LE HIEN LUU PRIMARY EXAMINER